

Technical Data Sheet



NuTex Concepts Product Code: SB070

Product: 23 GSM (.70oz) PP Spunbond

Property	Test Method	Units	Target	Tolerance
Basis Weight	ASTM D3776-09	osy	0.7	+ / - 10%
MD Tensile@ Peak	ASTM D5034-09	lbs	11.0	Min
CD Tensile @ Peak	ASTM D5034-09	lbs	9.0	Min
MD Elongation @ Peak	ASTM D5034-09	%	75	Min
CD Elongation @ Peak	ASTM D5034-09	%	75	Min
MD Trap Tear	ASTM D4533-91	lbs	3	Min
CD Trap Tear	ASTM D4533-91	lbs	4	Min